

CITY OF PRINCE GEORGE
BYLAW NO. 8024

A Bylaw of the City of Prince George to amend the Water Regulation and Rates Bylaw No. 7479, 2003.

WHEREAS Council deems it desirable to amend Water Regulation and Rates Bylaw No. 7479, 2003 by adding Section 7.2.9, Section 8.2.2, and 8.2.3, and removing wording in Schedule "C";

NOW THEREFORE the Council of the City of Prince George, in open meeting assembled, **ENACTS AS FOLLOWS:**

1. That Section 7.2.9 be added as follows:

The Authorized Person may order a backflow prevention device installed on any service. Such installation shall be done in accordance with the Cross Connection Control Manual and shall be at the expense of the owner.

2. That Section 8.2.2 be added as follows:

Sizes of water meters shall be determined by the Authorization Person.

3. That Section 8.2.3 be added as follows:

Unless otherwise specified by the Authorized Person, where a water meter is installed solely to determine charges for Sanitary Sewer service, the capacity charges for water shall be based on a 19mm (3/4 inch).

4. That the following wording in Schedule "C" be removed as follows:

"IN THE HART AREA

NO SPRINKLING IS ALLOWED BETWEEN 12:00 NOON AND 12:00 MIDNIGHT DAILY".

5. The Mayor and City Clerk are hereby empowered to do all things necessary to give effect to this bylaw.
6. This bylaw may be cited for all purposes as "Water Regulation and Rates Bylaw No. 7479, 2003, Amendment Bylaw No. 8024, 2007".


READ A FIRST TIME THIS THE **11th** DAY OF **JUNE** , 2007.

READ A SECOND TIME THIS THE **11th** DAY OF **JUNE** , 2007.


READ A THIRD TIME THIS THE **11th** DAY OF **JUNE** , 2007.

All three readings passed by a **unanimous** decision of Members of City Council present and eligible to vote.

ADOPTED THIS THE **25th** DAY OF **JUNE** , 2007,
BY A **unanimous** DECISION OF ALL MEMBERS OF CITY COUNCIL PRESENT AND ELIGIBLE TO VOTE.



MAYOR



CLERK